

Women's Libido Compounded Medication Order Form

Page 1 of 1

PATIENT				
First name		Last name		Date of birth
Address			City, State, ZIP	
Primary phone	Secondary phone		Allergies	

STIMULATION CREAM	
☐ Sildenafil 1% / L-Arginine 6% Cream (\$67) Sig: Apply 0.1-0.2ml to clitoris 15 minutes prior to sexual activity. Qty: #6ml Refills: _____	☐ Sildenafil 3% / L-Arginine 6% Cream (\$75) Sig: Apply 0.1-0.2ml to clitoris 15 minutes prior to sexual activity. Qty: #6ml Refills: _____

VAGINAL DRYNESS	OTHER FORMULAS
☐ Estradiol 0.0375mg/ml Vaginal Cream (\$72)	☐ Testosterone 1% Vaginal Cream (\$72)
☐ Estriol 0.25% / Testosterone 0.05% Vaginal Cream (\$83)	☐ Testosterone 2% Vaginal Cream (\$72)
☐ DHEA 0.5% Vaginal Cream (\$72) Sig: Apply 2 clicks (0.5ml) topically and internally at bedtime x7-14 nights, then 3 times weekly thereafter Qty: #30gm Refills: _____	Sig: Apply 2 clicks (0.5ml) to labial tissue daily as directed Qty: #30gm Refills: _____

LOW LIBIDO	
☐ Apomorphine 3mg Oral Troches (\$65) Sig: Dissolve 1 troche between cheek & gum 15-30 mins prior to sexual activity Qty: #30 troches Refills: _____	☐ Apomorphine 3mg/0.5ml Sublingual Suspension (\$75) Sig: Place 0.5ml under tongue and hold x1 min, then swallow 15-30 mins prior to sexual activity. Qty: #30ml Refills: _____

Additional formulas are available. Please contact the pharmacist at 419-784-4800 with any questions.

PRESCRIBER		
Prescriber name (print)	NPI #	DEA #
Address	City, State, ZIP	Phone
Prescriber signature		Date